

[First Hit](#)[Previous Doc](#)[Next Doc](#)[Go to Doc#](#)

Generate Collection

Print

L1: Entry 14 of 132

File: PGPB

Jun 5, 2003

DOCUMENT-IDENTIFIER: US 20030104070 A1

TITLE: Coated potassium chloride granules and tablets

Detail Description Paragraph:

[0013] Some common additives that are used to control static buildup include magnesium stearate, titanium dioxide, and talc as well as commercially available products sold under the trade names STAT-LES by Walter G. Legge Company, Inc., Peekskill, N.Y., and LAROSTAT by PPG/Mazer Chemicals, Gurnee, Ill. Nonionic surfactants have also been used as additives for static control. Suitable nonionic surfactants possess a hydrophilic-lipophilic balance (HLB) number in the range 4-15. Examples of suitable nonionic surfactants include sorbitan monooleate (SPAN 80, HLB 4.3), polysorbate 60 (TWEEN 60, HLB 14.9) and polysorbate 80 (TWEEN 80, HLB 15.0). The compositions and processes of the present invention do not require additives for static control.

[Previous Doc](#)[Next Doc](#)[Go to Doc#](#)

WEST Search History

DATE: Sunday, May 29, 2005

Hide?	Set Name	Query	Hit Count
		<i>DB=PGPB,USPT,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=AND</i>	
<input type="checkbox"/>	L8	L7 and (\$glycol or alkanol or ethanol).clm.	35
<input type="checkbox"/>	L7	L6 and cyclosporin.clm.	51
<input type="checkbox"/>	L6	L5 and (cyclosporin same \$glycol).	54
<input type="checkbox"/>	L5	L4 and (cyclosporin same capsule)	87
<input type="checkbox"/>	L4	L3 and 424/\$.ccls.	1368
<input type="checkbox"/>	L3	L2 and (alcohol or alkanol or ethanol)	5390
<input type="checkbox"/>	L2	(cyclosporin and \$glycol)	5817
<input type="checkbox"/>	L1	6723339.pn.	2

END OF SEARCH HISTORY

WEST Search History

DATE: Sunday, May 29, 2005

Hide?	<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>
		<i>DB=PGPB,USPT,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=AND</i>	
<input type="checkbox"/>	L2	l1 and (tween adj 80)	69
<input type="checkbox"/>	L1	(tween near3 hlb)	132

END OF SEARCH HISTORY